

# [FDA's Final Q&A Guidance on Risk-Based Monitoring of Clinical Trials Provides Additional Recommendations for Sponsors](#)



The U.S. Food and Drug Administration (FDA) recently finalized its guidance, “[A Risk-Based Approach to Monitoring of Clinical Investigations](#)” (the “2023 RBM Guidance”) which follows up on the Agency’s March 2019 draft guidance (the “Draft Guidance”) of the same name and expands on (but does not supersede) the FDA’s August 2013 guidance, “[Oversight of Clinical Investigations - A Risk-Based Approach to Monitoring](#)” (the “2013 RBM Guidance”), with new recommendations summarized below to aid sponsors in implementing an effective and efficient risk-based approach to monitoring both risks to participants and to data integrity throughout all stages of clinical investigations of human drug and biological products, medical devices, and combination products.

***(1) Approach: Identify, assess and re-assess risks. Create a plan to manage, mitigate, and/or eliminate those risks, including those risks that are newly identified or may not have been anticipated.***

- Risk assessments should inform clinical trial protocol design, investigational plans, and monitoring plans and should be reevaluated and revised throughout the investigation. The monitoring plan should be comprehensive in highlighting identified risks, even those less likely to occur but that could have a significant impact on trial quality or subject safety, and should note how risks will be managed, mitigated, or eliminated.
- Consider how easily detectable the identified risks are, and the severity and consequences of those risks to human subject welfare and data quality if not detected and addressed.
- Assess systemic risks, as well as site-specific risks, and consider whether site-specific risks have the potential to become systemic risks.
- Determine an approach to on-site monitoring visits by taking into account the risks identified and the complexity and intensity of a clinical investigation. Monitoring activities should evolve based on risks identified during trials and should be proportionate to the risks to participants’ rights or safety or to data integrity.
- Implement a centralized monitoring approach to help minimize missing data and protocol deviations in real-time, such as through the use of electronic data capture systems.
- The risk assessment should guide how and to what extent source data verification (SDV) will be utilized during on-site monitoring visits.
- Establish processes to ensure appropriate blinding is maintained. Identify and monitor deviations which could result in unintentional unblinding.
- Be prepared during an FDA inspection to furnish documentation of the sponsor’s initial risk assessment, if requested.

**(2) Content: Components of the monitoring plan should help explain how the sponsor intends to address the risks that could affect the investigation.**

- Include the following components (in addition to those recommended in the 2013 RBM Guidance) in the monitoring plan:
  - Overall investigation design, including blinding and randomization procedures and processes for confirming randomization is performed according to the protocol and investigational plan
  - Sample plan(s), including rationale for, and approach to, identifying the records and data that will be monitored
  - Description of particular issues that would trigger immediate escalation
  - Approach for assessing and addressing a site issue that could escalate into a systemic issue that may warrant protocol or investigation plan changes
- Reference other clinical investigation management plans in the monitoring plan rather than repeating the information in the current monitoring plan to avoid inconsistencies.

**(3) Communicate: Promptly address and communicate monitoring results to the appropriate parties to mitigate and eliminate risk.**

- Perform monitoring in accordance with the pre-established monitoring plan and address issues as the monitor identifies them, including escalation, if needed.
- Perform a root-cause analysis of issues and promptly implement corrective and preventive actions (CAPAs).
- Consider amendments or revisions to the protocol or the investigational plan.
- Communicate and document significant issues to the relevant parties involved at the sponsor and site level, which may also include institutional review boards, data monitoring committees, and/or regulatory agencies, such as the FDA.
- Provide reports of monitoring activities in a timely manner to the site and discuss the findings with the clinical investigator and site staff. Reports should follow the 2013 RBM Guidance.

While the FDA's regulations require sponsors to monitor the conduct and progress of their clinical investigations, there are no specifics on *how* sponsors are to conduct such monitoring. FDA's guidance provides helpful direction on clinical trial monitoring while recognizing that a monitoring approach should evolve over the course of a trial as risk assessments evolve. Sponsors with upcoming or ongoing clinical trials should consider FDA's recommendations in monitoring plan development and execution of monitoring activities throughout a trial.